



CATALOGUE DE PRODUIT

Welcome / Bienvenu

*Bienvenue dans l'univers enchanteur de
YD Illumination.*

Nous avons le plaisir de vous inviter à explorer notre catalogue de produits, où la magie et les possibilités infinies de l'éclairage se rencontrent. Que vous ayez un projet en tête ou que vous cherchiez simplement l'inspiration, nos décorateurs sont là pour vous conseiller et vous guider, transformant vos idées en moments véritablement magiques. Contactez-nous dès aujourd'hui et laissez-nous illuminer votre monde.



Contents / Contenu

1. ABOUT US / À PROPOS DE NOUS

PAGE **06.** — YD ILLUMINATION

2. LIGHTING / ÉCLAIRAGE

PAGE **10.** — LED STRING LIGHTS 230V / GUIRLANDES LUMINEUSES LEDS 230V

PAGE **14.** — LED STRING LIGHTS 24V / GUIRLANDES LUMINEUSES LEDS 24V

PAGE **18.** — LED ICICLE LIGHTS / GLAÇONS LED

PAGE **20.** — LED LIGHT CURTAINS / RIDEAUX LUMINEUX LEDS

PAGE **22.** — LED ROPE LIGHTS 230V / GUIRLANDES LUMINEUSES LEDS 230V

PAGE **23.** — LED ROPE LIGHTS 24V / GUIRLANDES LUMINEUSES LEDS 24V

PAGE **24.** — SMD ROPE LIGHTS 230V / CORDON LUMINEUX SMD 230V

PAGE **25.** — LED STRIP LIGHT - FALLING EFFECT / RUBAN LED - FALLING EFFET

PAGE **26.** — ACCESSORIES

3. CONTACT

PAGE **28.** — CONTACT WITH US / EN CONTACT AVEC NOUS



1.

ABOUT US
/À PROPOS DE NOUS

À propos de YD Illumination

Chez YD Illumination, nous sommes passionnés par la magie des fêtes et spécialisés dans l'art de l'illumination de Noël. Avec des années d'expérience et une expertise reconnue, nous transformons les espaces publics et privés en paysages féeriques, émerveillant petits et grands.

Nos Compétences :

Création sur Mesure: Chaque projet est unique. Nos designers conçoivent des installations lumineuses personnalisées qui reflètent l'esprit de Noël tout en respectant vos envies et contraintes.

Innovation Technologique: Nous utilisons les dernières technologies en matière d'éclairage pour offrir des solutions durables et économes en énergie, sans compromis sur la qualité visuelle.


Installation Professionnelle: Notre équipe qualifiée assure une installation rapide et sécurisée, garantissant que chaque détail est parfait pour un rendu spectaculaire.

Maintenance et Suivi: Nous ne nous contentons pas d'installer. Nous assurons un suivi rigoureux tout au long de la période festive pour garantir le bon fonctionnement de vos illuminations.

Laissez YD Illumination apporter la magie de Noël à votre environnement. Contactez-nous dès aujourd'hui pour discuter de votre projet et découvrir comment nous pouvons illuminer vos fêtes.

RoHS

CE






2.

LIGHTING
/ ÉCLAIRAGE


LED STRING LIGHTS 230V / GUIRLANDES LUMINEUSES LEDS 230V




Voltage / tension	Length / Longueur	IP	LED	Max set / Ensemble max	without power cord / Sans cable d'alimentation
230 V	10m	IP65	100	35	

Reference / Référence	LED color / Couleur LED	Cable color / Couleur du câble	Flash	Stock
SLR-10M-2x50-W-W	cold white/blanc froid	white/blanc		
SLR-10M-2x50-W-WW	warm white/blanc chaud	white/blanc		
SLR-10M-2x50-W-W-FB	cold white/blanc froid	white/blanc		
SLR-10M-2x50-W-WW-FB	warm white/blanc chaud	white/blanc		
SLR-10M-2x50-W-WW/W-FB	warm white/blanc chaud	white/blanc		
SLR-10M-2x50-W-R/W-FB	red/rouge	white/blanc		
SLR-10M-2x50-W-G/W-FB	green/vert	white/blanc		
SLR-10M-2x50-W-B/W-FB	blue/bleu	white/blanc		
SLR-10M-2x50-DG-W	cold white/blanc froid	green/vert		
SLR-10M-2x50-DG-WW	warm white/blanc chaud	green/vert		
SLR-10M-2x50-DG-R	red/rouge	green/vert		
SLR-10M-2x50-DG-G	green/vert	green/vert		
SLR-10M-2x50-DG-B	blue/bleu	green/vert		
SLR-10M-2x50-DG-W-FB	cold white/blanc froid	green/vert		
SLR-10M-2x50-DG-WW-FB	warm white/blanc chaud	green/vert		
SLR-10M-2x50-DG-WW/W-FB	warm white/blanc chaud	green/vert		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED STRING LIGHTS 230V / GUIRLANDES LUMINEUSES LEDS 230V




Voltage / tension	Length / Longuer	outdoor /extérieure	LED	Max set / Ensemble max	without power cord / Sans cable d'alimentation
230 V	10m		100	35	

Reference / Référence	LED color / Couleur LED	Cable color / Couleur du câble	Flash	Stock
SLO-10M-2x50-TR-W	cold white/blanc froid	transparent		
SLO-10M-2x50-TR-WW	warm white/blanc chaud	transparent		
SLO-10M-2x50-TR-W-FB	cold white/blanc froid	transparent		
SLO-10M-2x50-TR-WW-FB	warm white/blanc chaud	transparent		
SLO-10M-2x50-TR-WW/W-FB	warm white/blanc chaud	transparent		
SLO-10M-2x50-TRGL-W	cold white/blanc froid	transparent gold/or		
SLO-10M-2x50-TRGL-WW	warm white/blanc chaud	transparent gold/or		
SLO-10M-2x50-TRGL-W-FB	cold white/blanc froid	transparent gold/or		
SLO-10M-2x50-TRGL-WW-FB	warm white/blanc chaud	transparent gold/or		
SLO-10M-2x50-TRGL-WW/W-FB	warm white/blanc chaud	white/blanc		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED STRING LIGHTS 24V / GUIRLANDES LUMINEUSES LEDS 24V




Voltage / tension 24 V	Length / Longueur 10m	IP IP65	LED 100	Max set / Ensemble max 35	without power cord / Sans cable d'alimentation		
Reference / Référence		LED color / Couleur LED		Cable color / Couleur du câble		Flash	Stock
SLR-10M-2x50-24V-W-W		cold white/blanc froid		white/blanc			
SLR-10M-2x50-24V-W-WW		warm white/blanc chaud		white/blanc			
SLR-10M-2x50-24V-W-R		red/rouge		white/blanc			
SLR-10M-2x50-24V-W-G		green/vert		white/blanc			
SLR-10M-2x50-24V-W-B		blue/bleu		white/blanc			
SLR-10M-2x50-24V-W-W-FB		cold white/blanc froid		white/blanc			
SLR-10M-2x50-24V-W-WW-FB		warm white/blanc chaud		white/blanc			
SLR-10M-2x50-24V-W-WW/W-FB		warm white/blanc chaud		white/blanc			
SLR-10M-2x50-24V-DG-W		cold white/blanc froid		green/vert			
SLR-10M-2x50-24V-DG-WW		warm white/blanc chaud		green/vert			
SLR-10M-2x50-24V-DG-R		red/rouge		green/vert			
SLR-10M-2x50-24V-DG-G		green/vert		green/vert			
SLR-10M-2x50-24V-DG-B		blue/bleu		green/vert			
SLR-10M-2x50-24V-DG-W-FB		cold white/blanc froid		green/vert			
SLR-10M-2x50-24V-DG-WW-FB		warm white/blanc chaud		green/vert			
SLR-10M-2x50-24V-DG-WW/W-FB		warm white/blanc chaud		green/vert			

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED STRING LIGHTS 24V / GUIRLANDES LUMINEUSES LEDS 24V




Voltage / tension	Length / Longuer	outdoor /extérieure	LED	Max set / Ensemble max	without power cord / Sans cable d'alimentation
24 V	10m		100	35	

Reference / Référence	LED color / Couleur LED	Cable color / Couleur du câble	Flash	Stock
SLO-10M-2x50-24V-TR-W	cold white /blanc froid	transparent		
SLO-10M-2x50-24V-TR-WW	warm white /blanc chaud	transparent		
SLO-10M-2x50-24V-TR-W-FB	cold white /blanc froid	transparent		
SLO-10M-2x50-24V-TR-WW-FB	warm white /blanc chaud	transparent		
SLO-10M-2x50-24V-TR-WW/W-FB	warm white /blanc chaud	transparent		
SLO-10M-2x50-24V-TRGL-W	cold white /blanc froid	transparent gold/or		
SLO-10M-2x50-24V-TRGL-WW	warm white /blanc chaud	transparent gold/or		
SLO-10M-2x50-24V-TRGL-W-FB	cold white /blanc froid	transparent gold/or		
SLO-10M-2x50-24V-TRGL-WW-FB	warm white /blanc chaud	transparent gold/or		
SLO-10M-2x50-24V-TRGL-WW/W-FB	warm white /blanc chaud	transparent gold/or		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED ICICLE LIGHTS / GLAÇONS LED




Voltage / tension 230 V	IP IP65	Cable color / Couleur du câble white /blanc 	without power cord / Sans cable d'alimentation
-----------------------------------	-------------------	--	---

Reference / Référence	LED color / Couleur LED	LED	Flash	Stock
ILR-3,0x0,5M-60-W-W-FB	cold white/blanc froid 	60		
ILR-3,0x0,5M-60-W-WW-FB	warm white/blanc chaud 	60		
ILR-3,0x0,5M-60-W-WW/W-FB	warm white/blanc chaud 	60		
ILR-3,0x0,5M-60-W-W	cold white/blanc froid 	60		
ILR-3,0x0,5M-60-W-WW	warm white/blanc chaud 	60		
ILR-4,5x0,8M-180-W-W-FB	cold white/blanc froid 	180		
ILR-4,5x0,8M-180-W-WW-FB	warm white/blanc chaud 	180		
ILR-4,5x0,8M-180-W-WW/W-FB	warm white/blanc chaud 	180		
ILR-4,5x0,8M-180-W-W	cold white/blanc froid 	180		
ILR-4,5x0,8M-180-W-WW	warm white/blanc chaud 	180		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED LIGHT CURTAINS / RIDEAUX LUMINEUX LEDS



Voltage / tension	IP	Cable color / Couleur du câble	without power cord / Sans cable d'alimentation
230 V	IP65	white / blanc 	

Reference / Référence	LED color / Couleur LED	LED	Flash	Stock
CLR-3x0,8M-168-W-W-FB	cold white/blanc froid 	168		
CLR-3x0,8M-168-W-WW/W-FB	warm white/blanc chaud 	168		
CLR-4,5x0,8M-264-W-W-FB	cold white/blanc froid 	264		
CLR-4,5x0,8M-264-W-WW/W-FB	warm white/blanc chaud 	264		
CLR-2x1,5M-240-W-W-FB	cold white/blanc froid 	240		
CLR-2x1,5M-240-W-WW/W-FB	warm white/blanc chaud 	240		
CLR-2x1,5M-240-W-W	cold white/blanc froid 	240		
CLR-2x3M-384-W-W-FB	cold white/blanc froid 	384		
CLR-2x3M-384-W-WW/W-FB	warm white/blanc chaud 	384		
CLR-2x3M-384-W-W	cold white/blanc froid 	384		
CLR-2x6M-720-W-W-FB	cold white/blanc froid 	720		
CLR-2x6M-720-W-WW/W-FB	warm white/blanc chaud 	720		

Reference / Référence	LED color / Couleur LED	LED	Flash	Stock
CLR-2x6M-720-W-W	cold white/blanc froid 	720		
CLR-2x9M-1080-W-W-FB	cold white/blanc froid 	1080		
CLR-2x9M-1080-W-WW/W-FB	warm white/blanc chaud 	1080		
CLR-2x9M-1080-W-W	cold white/blanc froid 	1080		
CLR-2x1M-160-W-W-FFB	cold white/blanc froid 	160		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED ROPE LIGHTS 230V / CORDON LUMINEUX LEDS 230V



1m cutting section, diameter 13 mm, 100 m / roll / Section de coupe de 1 m, diamètre 13 mm, 100 m / rouleau

Voltage / tension 230 V	IP IP44	LED 36/m	without power cord / Sans cable d'alimentation
-----------------------------------	-------------------	--------------------	---

Reference / Référence	LED color / Couleur LED		Stock
RL-2W-100/1M-36L-W	cold white/blanc froid		
RL-2W-100/1M-36L-WW	warm white/blanc chaud		
RL-2W-100/1M-36L-R	red/rouge		
RL-2W-100/1M-36L-G	green/vert		
RL-2W-100/1M-36L-B	blue/bleu		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED ROPE LIGHTS 24V / CORDON LUMINEUX LEDS 24V



1m cutting section, diameter 13 mm, 100 m / roll / Section de coupe de 1 m, diamètre 13 mm, 100 m / rouleau

Voltage / tension 24 V	IP IP44	LED 36/m	without power / sans pouvoir
----------------------------------	-------------------	--------------------	---------------------------------

Reference / Référence	LED color / Couleur LED		Stock
RL-2W-100/1M-36L-24V-W	cold white/blanc froid		
RL-2W-100/1M-36L-24V-WW	warm white/blanc chaud		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



SMD ROPE LIGHT 230 V/ CORDON LUMINEUX SMD 230 V



1m cutting section, diameter 13 mm, 100 m / roll / Section de coupe de 1 m, diamètre 13 mm, 100 m / rouleau

Voltage / tension 230 V	IP IP44	LED 60/m	without power cord / Sans cable d'alimentation
-----------------------------------	-------------------	--------------------	---

Reference / Référence	LED color / Couleur LED		Stock
RL-S-2W-50/1M-60L-W	cold white/blanc froid		
RL-S-2W-50/1M-60L-WW	warm white/blanc chaud		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



LED STRIP LIGHT- FALLING EFFECT / RUBAN LED - EFFET FALLING



1m cutting section, size 7x16 mm, 30 m/ roll, diode type: 5050

Voltage / tension 24 V	IP IP65	LED 48/m	LED - LED 2,08	LED colour / Colour LED white
----------------------------------	-------------------	--------------------	--------------------------	---

Reference / Référence	Type / Taper	Effect / Effet	Stock
STR-F-24V-5050-48L	STR-F- strip light with falling effect	falling	
LA-STR-F-CTRL	RD controller for STR-F-		
LA-STR-F-ENDCAP	End cap for STR-F		
LA-STR-F-PIN	4 needle pin for STR-F		

* Do not hesitate to ask for other colors of leds (static and flashing) or cables (PVC or rubber) in string led light, icicle led light or curtain led light- we can provide products which meets your special requirements.



ACCESSORIES

Voltage / tension 230 V / 24 V	Cable / du câble white /blanc black /noire	The entire presented assortment are standard stock products available in our warehouse. /L'ensemble de l'assortiment présenté est constitué de produits en stock standard disponibles dans notre entrepôt.
--	--	---

Reference / Référence	Type / Taper	Dimensions	Diagram / Diagramme
LA-EXT-R-0,5	extension cable / câble d'extension	MC-> 0,5 m -> FC	
LA-EXT-R-1,0	extension cable / câble d'extension	MC-> 1,0 m -> FC	
LA-EXT-R-2,0	extension cable / câble d'extension	MC-> 2,0 m -> FC	
LA-EXT-R-3,0	extension cable / câble d'extension	MC-> 3,0 m -> FC	
LA-EXT-R-5,0	extension cable / câble d'extension	MC-> 5,0 m -> FC	
LA-EXT-R-10,0	extension cable / câble d'extension	MC-> 10,0 m -> FC	
LA-EXT-R-15,0	extension cable / câble d'extension	MC-> 15,0 m -> FC	
LA-TC-R-0,5	TC- "T"- connector / connecteur	MC-> 0,25 m -> TC -> 0,25 m --> FC	
LA-TC-R-2,0-16	TC- "T"- connector x 16 / connecteur / connecteur	MC->16 x TC (12 cm between each TC) -> FC	
LA-YC-R-0,5	YC- "Y"- connector / connecteur	MC-> 0,25 m -> YC -> 0,25 m -> FC x 2	
LA-3YC-R-0,5	YC- "Y"- connector x 3 / connecteur	MC-> 0,25 m -> 3YC ->0,25 m -> FC x 3	

Reference / Référence	Type / Taper	Dimensions	Diagram / Diagramme
LA-MC/RLC-R-0,5	MC/RLC- male connector and rope light connector / connecteur mâle et connecteur de câble lumineux	MC -> 0,5 m -> RLC	
LA-FC/RLC-R-0,5	FC/RLC- female connector and rope light connector / connecteur femelle et connecteur de câble lumineux	FC -> 0,5 m -> RLC	
LA-PS-6A- R-1,5	PS- power supply / source de courant	EU plug -> 0,5 m -> FC/ MC -> 0,5 m -> rectifier -> 0,5 m -> FC	
LA-PS-DRIVER-60W-R-1,5	PS- power supply-led driver / pilote LED d'alimentation	EU plug -> 0,5 m -> FC/ MC -> 0,5 m -> LED DRIVER -> 0,5 m -> FC	
LA-PS-DRIVER-150W-R-1,5	PS- power supply-led driver / pilote LED d'alimentation	EU plug -> 0,5 m -> FC/ MC -> 0,5 m -> LED DRIVER -> 0,5 m -> FC	
LA-PS-DRIVER-250W-R-1,5	PS- power supply-led driver / pilote LED d'alimentation	EU plug -> 0,5 m -> FC/ MC -> 0,5 m -> LED DRIVER -> 0,5 m -> FC	
LA-RL-PIN-1	PIN for rope light / pour corde lumineuse	connection between power supply and rope light / connexion entre l'alimentation électrique et la corde lumineuse	
LA-RL-PIN-2	PIN for rope light / pour corde lumineuse	connection between rope light and rope light / connexion entre la corde lumineuse et la corde lumineuse	
LA-RL-ENDCAP	End cap for rope light / Embout pour corde lumineuse	dia:13 mm, L: 20 mm, transparent	



CONTACT WITH US / EN CONTACT AVEC NOUS



+32 2 354 23 56



INFO@YD.BE



WWW.YD.BE

THIS CATALOGUE IS THE PROPERTY OF YD ILLUMINATION. ALL RIGHTS RESERVED.
CE CATALOGUE EST LA PROPRIÉTÉ DE YD ILLUMINATION. TOUS LES DROITS SONT RÉSERVÉS.

